

LINK 60X - Wood → Luca Fornasarig



Luca Fornasarig moved Link 60X forward with a new seat and back made of high performance reinforced plywood 3D bent. The state-of-the-art seat shell take Link to a whole new level. More stackable than any other chair it sets new standards when it comes to lightweight and versatility. A wide 3D ergonomically moulded seat and back make the chair very comfortable while the 11mm solid rod frame ensure strength without compromise to design. 100% recyclable, state-of-the art manufacturing methods and a two-component design add up to an attractive price and good value.

Product Description

Design Thanks to the floating and nearly seamless connection from shell to frame defines a whole new integration, making the boundary between the frame and the seat hard to discern. Registered design.


Frame Stable full- high resistance steel sled-base diameter 11mm. The front bent traverse provide reinforcement to the design and is welded beneath the knee roll, thus retaining leg freedom. The seat and back are inset into the frame to optimise stackability while four underseat pads, integrated in the frame, protect the seat when the chair is stacked. Minimal stacking height ensures compact storage. This means reduced storage space requirements. LINK 60X is lightweight, stable and with materials reduced to the max.

Frame surface finish **Eco-Chrome:** Extra-strength bright chrome plating, approximately 20 - 25 µm. **Powder coating:** Highly scratch-resistant thermoset powder coating, approximately 80 - 100 µm coating thickness. Our powder coating finish has no solvents and release no amount of Volatile Organic Compounds (VOC) into the atmosphere. Available in elegant tone on tone seat and frame colour finish.

Seat and Back **Oak or Walnut wood** 3-dimensionally shaped ergonomic seat and back. The wood is coming from forests and plantations managed responsibly under **FSC's rules**. The seat is invisibly 8-times screwed to the frame, the high-quality surface is pleasant to touch and easy to clean. What's more they're simple to replace should the necessity arise after years of use. Water based colour and polyurethane or acrylic finish, level of sheen 10/30% (DIN 67530). Paint with low environmental impact.

Gliders **Anti-rotating plastic gliders** made from impact-resistant plastic for universal use.

Linking Easy to align in rows with the linking device available on request. Very compact on the floor. Only 50cm when linked center to center.



LINK 60X - Wood → Luca Fornasarig

Stackability

Up to 60 chairs on trolley
 Number of chairs per stack
 60pcs →h 210cm
 50pcs →h 185cm
 40pcs →h 162cm

 20pcs on floor



Safety and stress testing

Safety testing in accordance with standard **ANSI-BIFMA X5.1-2017**
 Leg strength test- Side application ANSI-BIFMA X5.1-2017/17

Environmental responsibility

LINK 60X is up to 100% recyclable. Components can be easily disassembled and recycled separately.
 LINK Chair sets standards for product design that is “sustainable” in the most optimal way. The durability of the high-quality materials used, the innovative sitting concept and the classic design guarantee usability for many years

Material content

Total Weight : 5,9 kg.
Weight % : Frame metal 59% - Seat and back 41%

Warranty

The LINK 60X chair comes with a **10-year warranty**. The warranty covers breakage of frames and damage occurred because of deficient craftsmanship performance under normal use. The warranty shall lapse if the product shows signs of mishandling abuse or other physical damage. The warranty does not cover those parts of the product which are exposed to abrasion during use. For warranty terms and conditions refer to the catalogue and price list.

Options and accessories

Seat upholstery

Seat with a 10 mm thick cut polyether foam (density: 40 kg/m³), attached to the shell with four screws. The foams are always fire retardant and they fulfil the English fire norm BS 5852 Schedule 1 Part I, the French M4, the California Bulletin and the Italian M1.

Gliders

Felt gliders: floor gliders with an inset felt glide surface; for use on smooth and less durable floor types.

Linking device

Linking device removable, easy to remove plastic linking device
 Metal floor linking system for intensive use

Options writing tablet

Writing tablet foldable, pivoted and removable

Options transport/storage trolley

Heavy duty trolley loading capacity: up to 400kg

Technical drawings - All dimensions in cm. and inches

