

Silen Space 2 Plus Hybrid

Peace of mind within reach

Like Space Hybrid 2, but bigger. It comfortably sits another two people (in case there's a queue outside). Perfect for people in wheelchairs and those without such superpowers.







ന് Accessible

Improved comfort and wheelchair access with an extra-low threshold and a wide automatic door.

Ultimate two-way privacy

Market-leading sound reduction for wheelchairaccessible office pods.

))) { Comfortable

Ergonomic, quiet, echo-free, and speech-optimized. Automated LEDs and ventilation. Over twice the standard airflow rate.

Easy to relocate

Prefabricated design offers easy disassembly and reassembly when moving.

<u>ကို</u>နှင့် Spacious

Suitable for 4 wheelchair users; otherwise, seats up to 8. Offers ample space to stretch and move around. Available with furniture of your choice.

○ Endless customization

Swap side skins and cover trims with a snap of a magnet. Enjoy a variety of colors, fabrics, and furnishing options.



Modularity

The modular design enables changing the pod size whenever needed. Add modules to create bigger spaces or split larger pods into smaller spaces.

() Sustainable

Fully renewable with a 20+ year lifespan. Designed sustainably across materials, production, and impact on surrounding environments.



Additional colours for extra fee




Textile sides Camira Quest





Silen Space 2 Plus Hybrid

SILEN HYBRID





SIIEN HYBRID

Space 2 Plus Hybrid technical specification

GENERAL PRODUCT INFO

Exterior size (W×D×H)	240 × 182 × 227 cm / 94 × 72 × 89 in				
Interior size (W×D×H)	220 × 170 × 216 cm / 87 × 67 × 85 in				
Weight (net)	670 kg / 1477 lb				
Weight with crate	800 kg / 1764 lb				
Exterior	Laminated exterior panels and cover trims. Medical grade antibacterial laminate				
Glass	Sound Control laminated safety glass. Sound insulation STC 40 dB				
Walls/structure	EchoFree panel – sandwich element and structure of FSC birch plywood, ecological foam and acoustic felt. Sound insulation STC 49 dB. Acoustic absorption class A				
Roof	EchoFree panel - sandwich element of birch plywood and acoustic felt. Sound insulation STC 49 dB. Acoustic absorption class A				
Floor	Sandwich element of birch plywood, acoustic wool. Acoustic absorption Class B				
Carpet	Antistatic and stain resistant low loop pile carpet for public spaces, EN 1307. Flammability B _f -s1				
Door handedness	Right- or left-handed door. Door handedness can be chosen				
Furniture	Optional. Different sets are available				
Air ventilation	Low energy-consumption automatic air circulation system (stand by 3,4W; in operation 6,8W). Air circulation speed is at least 85 l/s				
Connections	AC outlet (100–240V) + USB A (optional). Ethernet port (optional).				
Power cord	5m long cord with plug type depending on the region. Connection either from the top or bottom of the pod, can be chosen during installation.				
Lighting	3000K or 4000K automatic LED lightning (28 W, 900 lm). Low consumption, energy-efficient				
	energy-efficient				

CERTIFICATION

Product safety	UL962 Listed				
Electrical safety	CE-mark / UL962 Listed				
Fire safety	Class A according to UL 723, ASTM E84, ASTM E162 (walls and ceiling)				
Emissions	Indoor Advantage™ Gold certified by SCS Global Services				



SILEN HYBRID

Space 2 Plus Hybrid extra features



Self-closing door hinges



Retractable coat/bag hook




Additional power outlet Pluto under the table



Air flow and lighting dimmer



Additional power outlet Desk2 on the table



Occupancy light



Additional power outlet Slim on the table (US)



Screen bracket on back glass



Seismic kit

EXTRA FEATURE

Self-closing door hinges	
Additional power outlet Pluto under the table	
Additional power outlet Desk2 on the table	On table top. 2 X 230 V, 1 X USB-A, 1 X USB-C
Additional power outlet Slim on the table (us)	US only. 3 x 120V, 2 x USB-A
Power outlet under sofa	(1 x 230V / USB A/C) Additional information.
LAN/RJ45/HDMI connections	
Air flow and lighting dimmer	
Occupancy light	
Screen bracket on back glass	
Screen bracket on side wall	
Frosted film on glass	
Retractable coat/bag hook	
Sprinkler prep	Knockout with a tube inside. The ceiling module for housing a sprinkler Does not include a sprinkler. Sprinkler needs to be installed by a certified company.
Seismic kit	Brackets to mount the floor module to the existing floor with anchor k



Options for surfaces

SIIEN HYBRID

	colours			Veneer				
now White	Black	Silver Grey		Oak Veneer	Dark Oak Ver	neer		
Extra colo								
	Juis							
Cotton	Basalt	Coal	Bambus	Mint	Jade	Opal	Eden	Marshmallo
Myosotis	Paprika	Mango	Indian Summe	r Hot Pepper	Azurite	Blue Tiber	Storm Gray	Frozen Blue
Standard wall and ceiling			S	Standard floor		Standard profiles		
	(SSI2)		1					
CALIFORNIA DE LA CALIFICACIÓN DE LA CALIFORNIA DE LA CALIFICACIÓN DE LA C	The second second second		323					
Light gray	Dark gray	Black Sand	Liç	ght gray Dark g	gray Black	White	Anodized	Black
Light gray	Dark gray I	Black Sand	Liç	ght gray Dark ç	gray Black	White	Anodized gray	Black
Light gray Textile si	Dark gray		Liç	ght gray Dark ç	gray Black	White		Black
			Lig	ght gray Dark g	gray Black	White		Black
Textile si			Lig	ght gray Dark g Quartz	gray Black	White		Black
	des (Camir	a Quest)*					gray	
Textile si Depth	des (Camir Fossil	ra Quest)* Barnacle	Mussel	Quartz	Shell	Ripple	gray Whelk	Limpet
Textile si Depth	des (Camir	a Quest)*					gray	
Textile si	des (Camir Fossil	ra Quest)* Barnacle	Mussel	Quartz	Shell	Ripple	gray Whelk	Limpet
Textile si Depth	des (Camir Fossil	ra Quest)* Barnacle	Mussel	Quartz	Shell	Ripple	gray Whelk	Limpet

