

Silen Space 4 Hybrid

Spread ideas without hurdles

When teams grow, blocking distractions at meetings gets harder. This pod has universal access, filters out external noise, and lets you think and focus together.







ന് Accessible

Improved comfort and wheelchair access with an extra-low threshold and a wide automatic door.

Ultimate two-way privacy

Market-leading sound reduction for wheelchairaccessible office pods.

))) { Comfortable

Ergonomic, quiet, echo-free, and speech-optimized. Automated LEDs and ventilation. Over twice the standard airflow rate.

Easy to relocate

Prefabricated design offers easy disassembly and reassembly when moving.

_____́i⊊ Spacious

Suitable for 4 wheelchair users; otherwise, seats up to 8. Offers ample space to stretch and move around. Available with furniture of your choice.

○ Endless customization

Swap side skins and cover trims with a snap of a magnet. Enjoy a variety of colors, fabrics, and furnishing options.



Modularity

The modular design enables changing the pod size whenever needed. Add modules to create bigger spaces or split larger pods into smaller spaces.

() Sustainable

Fully renewable with a 20+ year lifespan. Designed sustainably across materials, production, and impact on surrounding environments.



Additional colours for extra fee




Textile sides Camira Quest





Silen Space 4 Hybrid

SILEN HYBRID





SIIEN HYBRID

Space 4 Hybrid technical specification

GENERAL PRODUCT INFO

240 × 242 × 227 cm / 94 × 95 × 89 in
220 × 223 × 216 cm / 87 × 88 × 85 in
1140 kg / 2513 lb
1460 kg / 3219 lb
Laminated exterior panels and cover trims. Medical grade antibacterial laminate
Sound Control laminated safety glass. Sound insulation STC 40 dB
EchoFree panel – sandwich element and structure of FSC birch plywood, ecological foam and acoustic felt. Sound insulation STC 49 dB. Acoustic absorption class A
EchoFree panel - sandwich element of birch plywood and acoustic felt. Sound insulation STC 45 dB. Acoustic absorption class A
Sandwich element of birch plywood, acoustic wool. Acoustic absorption Class B
Antistatic and stain resistant low loop pile carpet for public spaces, EN 1307. Flammability $\rm B_{fl}\mathchar`-s1$
Right- or left-handed door. Door handedness can be chosen
Optional. Different sets are available
Low energy-consumption automatic air circulation system (stand by 6,8W; in operation 13,6W). Air circulation speed is at least 125 l/s
AC outlet (100–240V) + USB A (optional). Ethernet port (optional).
5m long cord with plug type depending on the region. Connection either from the top or bottom of the pod, can be chosen during installation.
3000K or 4000K automatic LED lightning (56 W, 6000 lm). Low consumption, energy-efficient

CERTIFICATION

Product safety	UL962 Listed
Electrical safety	CE-mark / UL962 Listed
Fire safety	Class A according to UL 723, ASTM E84, ASTM E162 (walls and ceiling)
Emissions	Indoor Advantage™ Gold certified by SCS Global Services
Speech level reduction	31,9 dB / Class B according to ISO 23351-1, measured in accredited lab
Airborne sound insulation R'w	41 dB according to ISO 16283-1 and ISO 717-1, measured on site by an accredited specialist
Sound transmission class STC	41 dB according to ASTM E90, measured on site by an accredited specialist



SIIEN HYBRID

Space 4 Hybrid extra features



Self-closing door hinges



Retractable coat/bag hook




Additional power outlet Pluto under the table



Air flow and lighting dimmer



Additional power outlet Desk2 on the table



Occupancy light



Additional power outlet Slim on the table (US)



Screen bracket on back glass



Seismic kit

EXTRA FEATURE

Self-closing door hinges	
Additional power outlet Pluto under the table	
Additional power outlet Desk2 on the table	On table top. 2 X 230 V, 1 X USB-A, 1 X USB-C
Additional power outlet Slim on the table (us)	US only. 3 x 120V, 2 x USB-A
Power outlet under sofa	(1 x 230V / USB A/C) Additional information.
LAN/RJ45/HDMI connections	
Air flow and lighting dimmer	
Occupancy light	
Screen bracket on back glass	
Screen bracket on side wall	
Frosted film on glass	
Retractable coat/bag hook	
Sprinkler prep	Knockout with a tube inside. The ceiling module for housing a sprinkler Does not include a sprinkler. Sprinkler needs to be installed by a certified company.
Seismic kit	Brackets to mount the floor module to the existing floor with anchor k



Options for surfaces

Standard	colours			Veneer				
Snow White	Black	Silver Grey		Oak Veneer	Dark Oak Vene	eer		
Extra colo	ours							
Cotton	Basalt	Coal	Bambus	Mint	Jade	Opal	Eden	Marshmallow
Myosotis	Paprika	Mango	Indian Summer	Hot Pepper	Azurite	Blue Tiber	Storm Gray	Frozen Blue
Standard wall and ceiling S			Sta	andard floor Standard profiles				S
designment of the second se		Land disk	- Jackson		andersen			
Light gray	Dark gray B	Black Sand	Ligh	nt gray Dark gi	ray Black	White	Anodized gray	Black
			Ligh	nt gray Dark gi	ray Black	White	Anodized gray	Black
	Dark gray B		Ligh	nt gray Dark gr	ray Black	White		Black
			Ligh	nt gray Dark gi	ray Black	White		Black
Textile si			Ligh	nt gray Dark gr	ray Black			Black
	des (Camira	a Quest)*				White	gray	
Textile si	des (Camira	a Quest)*					gray	
Textile si	des (Camira	a Quest)*					gray	
Textile si Depth	des (Camira Fossil	a Quest)*	Mussel	Quartz	Shell	Ripple	gray Whelk	Limpet
Textile si Depth	des (Camira Fossil	a Quest)*	Mussel	Quartz Algae	Shell Kelp	Ripple	gray Whelk	Limpet Abalone
Textile si Depth	des (Camira Fossil	a Quest)*	Mussel	Quartz	Shell	Ripple	gray Whelk	Limpet
Textile si Depth Rock Pool Driftwood	des (Camira Fossil Wave	a Quest)*	Mussel Sea Grass	Quartz Algae Cockle	Shell Kelp Crab	Ripple Sea Foam Clay	gray Whelk Urchin	Limpet Abalone Pebble

